



# REM's TRITON – VPF (VERTICAL PIPE FILTER) Series

REM designed the TRITON - VPF Filter to provide an adaptable solution that allows the flexibility to maximize the filter treatment flow rates and pollutant capturing capacity. TRITON - VPF Filters may be utilized in new construction or retrofitted in existing catch basin structures. They are sized to spec and scalable for all different lengths and applications. Filter Cartridges may be easily removed when servicing. Media strategy may also be optimized for specific pollutant concerns.



VPF – with BFTG Media


TRITON – VPF (VERTICAL PIPE) FILTER SERIES  
By REM Inc. (888.526.4736)  
REMFILTERS.COM




**MADE IN USA**

## Notes:

- TRITON VPF Series are designed to be used universally in all different types of catch basins available today.
- VPF cartridge tops are constructed utilizing over **80% recycled ABS Plastic**.
- VPF housings are constructed utilizing Type 304 Stainless Steel, with 2" X 2" welded square openings.
- The VPF Filter Inserts can be made in different heights depending upon the application. Taller filters will capture larger amounts of debris.
- REM TRITON replacement Filter Media Packs are charged with REM FOG media an expanded volcanic ash medium treated to be highly hydrophobic housed in a durable geo-textile perforated polypropylene woven fabric. REM FOG media effectively encapsulates liquefied petroleum hydrocarbons (Fats, Oils & Grease including animal fats). The media's hydrophobic characteristic allows for greater polishing of flow resulting in the reduction of Total Suspended Solids (TSS). Suspended solid reduction includes but is not limited to debris, trash, silt sediment and agglomerated heavy metals. (Additional media options are available including mixed blends of granulated carbon [AC] and Zeolite [ZEO].)
- Filter designs include a high flow overflow bypass to eliminate pooling or flooding during heavy rain events.
- REM TRITON filter cartridges are removable for ease of cleaning and maintenance.
- Media Pak's are constructed from durable geo-textile polypropylene fabric.
- See our Specifier Sheet for sizes, models and flow rate information.
- Maintenance information and replacement REM Media Packs are available upon request by contacting REM at sales@remfilters.com or (888) 526-4736.
- Made in the USA.



VPF – with PVC Boot



Side View

THE DESIGN AND DETAIL OF THIS DRAWING IS THE PROPERTY OF REM INC. AND IS NOT TO BE USED EXCEPT IN CONNECTION WITH OUR WORK. DESIGN AND INVENTION RIGHTS ARE RESERVED.

U.S. Patent Pending

PH: (888) 526-4736

DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED.

# REM Inc.

## TRITON VPF FILTER SERIES

(Vertical Pipe Filter)

DRAWN BY: C.F. FOR: Vertical Exit Pipe Combinations REV




SCALE: 1/4 : 1

DATE: 9/3/2014

SHEET: 1 OF 1

# REM's TRITON – VPF (VERTICAL PIPE FILTER) Series

REM has designed the VPF (Vertical Pipe Filters) to help contain sediments commonly found in runoff. The system functions similar to holding ponds, swales, and smaller sediment basins to aid in sediment containment. Raised vertical exit pipes are often used for such designs. They are sized to spec and scalable for all different lengths and applications. Filter Cartridges may be easily removed when servicing. Media strategy may also be optimized for specific pollutant concerns.




**MADE IN USA**

Many different sizes of VPF to fit your application VPF – with BFTG Media VPF – with PVC Boot

## Notes:

- TRITON VPF Series are designed to be used universally in all different types of catch basins available today.
- VPF cartridge tops are constructed utilizing over **80% recycled ABS Plastic**.
- VPF housings are constructed utilizing Type 304 Stainless Steel, with 2" X 2" welded square openings.
- The VPF Filter Inserts can be made in different heights depending upon the application. Taller filters will capture larger amounts of debris.
- REM TRITON replacement Filter Media Packs are charged with REM FOG media an expanded volcanic ash medium treated to be highly hydrophobic housed in a durable geo-textile perforated polypropylene woven fabric. REM FOG media effectively encapsulates liquefied petroleum hydrocarbons (Fats, Oils & Grease including animal fats). The media's hydrophobic characteristic allows for greater polishing of flow resulting in the reduction of Total Suspended Solids (TSS). Suspended solid reduction includes but is not limited to debris, trash, silt sediment and agglomerated heavy metals. (Additional media options are available including mixed blends of granulated carbon [AC] and Zeolite [ZEO].)
- Filter designs include a high flow overflow bypass to eliminate pooling or flooding during heavy rain events.
- REM TRITON filter cartridges are removable for ease of cleaning and maintenance.
- Media Pak's are constructed from durable geo-textile polypropylene fabric.
- See our Specifier Sheet for sizes, models and flow rate information.
- Maintenance information and replacement REM Media Packs are available upon request by contacting REM at sales@remfilters.com or (888) 526-4736.
- Made in the USA.




Typical Detention/settling Basin Installation Shown

THE DESIGN AND DETAIL OF THIS DRAWING IS THE PROPERTY OF REM INC. AND IS NOT TO BE USED EXCEPT IN CONNECTION WITH OUR WORK. DESIGN AND INVENTION RIGHTS ARE RESERVED.		<b>REM Inc.</b>	
U.S. Patent Pending		<b>TRITON VPF FILTER SERIES</b> (Vertical Pipe Filter)	
PH: (888) 526-4736	DRAWN BY: C.F.	FOR: Vertical Exit Pipe Combinations	REV
DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED.	SCALE	DATE: 2/3/2012	SHEET 1 OF 1

# REM's TRITON – VPF (VERTICAL PIPE FILTER) Series


REM designed the TRITON - VPF Filter to provide an adaptable solution that allows the flexibility to maximize the filter treatment flow rates and pollutant capturing capacity. TRITON - VPF Filters may be utilized in new construction or retrofitted in existing catch basin structures. They are sized to spec and scalable for all different lengths and applications. Filter Cartridges may be easily removed when servicing. Media strategy may also be optimized for specific pollutant concerns.

VPF (Vertical Pipe Filter) shown in a trench drain with a vertical exit pipe.



TRITON VERTICAL PIPE DRAIN FILTER (VPF)

**MADE IN USA**




## Notes:

- TRITON VPF Series are designed to be used universally in all different types of catch basins available today.
- VPF cartridge tops are constructed utilizing over **80% recycled** ABS Plastic.
- VPF housings are constructed utilizing Type 304 Stainless Steel, with 2" X 2" welded square openings.
- The VPF Filter Inserts can be made in different heights depending upon the application. Taller filters will capture larger amounts of debris.
- REM TRITON replacement Filter Media Packs are charged with REM FOG media an expanded volcanic ash medium treated to be highly hydrophobic housed in a durable geo-textile perforated polypropylene woven fabric. REM FOG media effectively encapsulates liquefied petroleum hydrocarbons (Fats, Oils & Grease including animal fats). The media's hydrophobic characteristic allows for greater polishing of flow resulting in the reduction of Total Suspended Solids (TSS). Suspended solid reduction includes but is not limited to debris, trash, silt sediment and agglomerated heavy metals. (Additional media options are available including mixed blends of granulated carbon [AC] and Zeolite [ZEO].
- Filter designs include a high flow overflow bypass to eliminate pooling or flooding during heavy rain events.
- REM TRITON filter cartridges are removable for ease of cleaning and maintenance.
- Media Pak's are constructed from durable geo-textile polypropylene fabric.
- See our Specifier Sheet for sizes, models and flow rate information.
- Maintenance information and replacement REM Media Packs are available upon request by contacting REM at sales@remfilters.com or (888) 526-4736.
- Made in the USA.



VPF – with FOG Media



VPF – with BFTG Media

THE DESIGN AND DETAIL OF THIS DRAWING IS THE PROPERTY OF REM INC. AND IS NOT TO BE USED EXCEPT IN CONNECTION WITH OUR WORK, DESIGN AND INVENTION RIGHTS ARE RESERVED.

U.S. Patent Pending

PH: (888) 526-4736

DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED.

# REM Inc.

## TRITON VPF FILTER SERIES

(Vertical Pipe Filter for Trench Drains)

SC	DRAWN BY:	FOR:	REV
ALF	C.F.	Vertical Exit Pipe Combinations	
1/4 : 1	DATE: 2/3/2012	SHEET	1 OF 1