


REM's TRITON – CSPF (Cartridge Sump Pump Filters) Series 1

REM designed the TRITON - CSPF (Cartridge Sump Pump Filter) Series to provide a highly adaptable solution that allows the flexibility to maximize the filter treatment flow rates and pollutant capturing capacity. TRITON - CSPF filters are utilized in structures that require a sump pump for removing captured fluids. They help protect sump pumps from trash/debris that may cause the sump pump to fail. They also can capture hydrocarbons and other pollutants before fluid is pumped out of the structure. Media strategy may be optimized for specific pollutant concerns.


MODEL NO.	Cartridge (I.D.)	Cartridge (O.D.)	Cartridge Height	Maximum Pump Width
TR-CSPF - 10	6" Dia.	10" Dia.	9" – 16"	6" Dia.
TR-CSPF - 14	10" Dia.	14" Dia.	9" - 16"	10" Dia.
TR-CSPF - 24	20" Dia.	24" Dia.	17" - 34"	20" Dia.

Cartridge Sump Pump Filters have solid bottoms providing a complete seal between the pump and incoming flow. Custom Heights also available. REM also designs custom filters for unique storm water infrastructures and applications. (Sump Pumps to be supplied by others)



Notes:

- All dimensions are in inches, unless otherwise noted.
- The TRITON – CSPF Series Filters can be designed for many different sized sump pumps on the market today.
- Base plates, when used, are constructed using **100% recycled** High Molecular Weight Polyethylene Plastic (HMWPE) with added U.V. inhibitors.
- Filter cartridge housings are constructed utilizing Type 304 Stainless Steel, with 2" welded square openings.
- Removable cartridge tops are constructed utilizing over 80% recycled ABS Plastic.
- REM TRITON replacement Filter Media Packs are charged with REM FOG media an expanded volcanic ash medium treated to be highly hydrophobic housed in a durable geo-textile perforated polypropylene woven fabric. REM FOG media effectively encapsulates liquefied petroleum hydrocarbons (Fats, Oils & Grease including animal fats). The media's hydrophobic characteristic allows for greater polishing of flow resulting in the reduction of Total Suspended Solids (TSS). Suspended solid reduction includes but is not limited to debris, trash, silt sediment and agglomerated heavy metals. (Additional media options are available including mixed blends of granulated carbon [AC] and Zeolite [ZEO]).
- REM TRITON filter cartridges are removable for ease of cleaning and maintenance.
- Filter designs include a high flow overflow bypass to eliminate pooling or flooding during heavy rain events.
- See our Specifier Sheet for sizes, models and flow rate information.
- Maintenance information and replacement REM Media Packs are available upon request by contacting REM at sales@remfilters.com or (888) 526-4736.
- Made in the USA.



Taller cartridge options provide greater volume capacity and increased treatment rates.

**MADE IN
USA**

THE DESIGN AND DETAIL OF THIS DRAWING IS THE PROPERTY OF REM INC. AND IS NOT TO BE USED EXCEPT IN CONNECTION WITH OUR WORK, DESIGN AND INVENTION RIGHTS ARE RESERVED.

U.S. Patent Pending

PH: (888) 526-4736

DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED.



REM Inc.

TRITON Series #1 CARTRIDGE SUMP PUMP FILTERS (A pre-filter for sump pumps)

SCA LE	1/4 : 1	DATE: 3/3/2013	FOR: Sump Pump Combinations	REV
				1 OF 1


REM's TRITON – CSPF (Cartridge Sump Pump Filters) Series 1

REM designed the TRITON - CSPF (Cartridge Sump Pump Filter) Series to provide a highly adaptable solution that allows the flexibility to maximize the filter treatment flow rates and pollutant capturing capacity. TRITON - CSPF filters are utilized in structures that require a sump pump for removing captured fluids. They help protect sump pumps from trash/debris that may cause the sump pump to fail. They also can capture hydrocarbons and other pollutants before fluid is pumped out of the structure. Media strategy may be optimized for specific pollutant concerns.



Notes:

- The TRITON – CSPF Series Filters can be designed for many different sized sump pumps on the market today.
- Base plates, when used, are constructed using **100% recycled** High Molecular Weight Polyethylene Plastic (HMWPE) with added U.V. inhibitors.
- Filter cartridge housings are constructed utilizing Type 304 Stainless Steel, with 2" welded square openings.
- Removable cartridge tops are constructed utilizing over 80% recycled ABS Plastic.
- REM TRITON replacement Filter Media Packs are charged with REM FOG media an expanded volcanic ash medium treated to be highly hydrophobic housed in a durable geo-textile perforated polypropylene woven fabric. REM FOG media effectively encapsulates liquefied petroleum hydrocarbons (Fats, Oils & Grease including animal fats). The media's hydrophobic characteristic allows for greater polishing of flow resulting in the reduction of Total Suspended Solids (TSS). Suspended solid reduction includes but is not limited to debris, trash, silt sediment and agglomerated heavy metals. (Additional media options are available including mixed blends of granulated carbon [AC] and Zeolite [ZEO].)
- REM TRITON filter cartridges are removable for ease of cleaning and maintenance.
- Filter designs include a high flow overflow bypass to eliminate pooling or flooding during heavy rain events.
- See our Specifier Sheet for sizes, models and flow rate information.
- Maintenance information and replacement REM Media Packs are available upon request by contacting REM at sales@remfilters.com or (888) 526-4736.
- Made in the USA.



Taller cartridge options provide greater volume capacity and increased treatment rates.

**MADE IN
USA**

THE DESIGN AND DETAIL OF THIS DRAWING IS THE PROPERTY OF REM INC. AND IS NOT TO BE USED EXCEPT IN CONNECTION WITH OUR WORK, DESIGN AND INVENTION RIGHTS ARE RESERVED.

U.S. Patent Pending

PH: (888) 526-4736

DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED.



REM Inc.

TRITON Series #1
CARTRIDGE SUMP PUMP FILTERS
(A pre-filter for sump pumps)

SCA LE	1/4 : 1	DRAWN BY: C.F.	FOR: Sump Pump Applications	REV
DATE: 3/3/2013		SHE ET 1 OF 1		

REM's TRITON – CSPF (Cartridge Sump Pump Filters) Series 2

REM designed the TRITON - CSPF (Cartridge Sump Pump Filter) Series to provide a highly adaptable solution that allows the flexibility to maximize the filter treatment flow rates and pollutant capturing capacity. TRITON - CSPF filters are utilized in structures that require a sump pump for removing captured fluids. They help protect sump pumps from trash/debris that may cause the sump pump to fail. They also can capture hydrocarbons and other pollutants before fluid is pumped out of the structure. Media strategy can be optimized for specific pollutant concerns.




**MADE IN
USA**

Side View

Notes:

- All dimensions are in inches, unless otherwise noted.
- The TRITON – CSPF Series Filters can be designed for many different sized sump pumps on the market today.
- Base plates, when used, are constructed using **100% recycled** High Molecular Weight Polyethylene Plastic (HMWPE) with added U.V. inhibitors.
- Filter cartridge housings are constructed utilizing Type 304 Stainless Steel, with 2" welded square openings.
- Removable cartridge tops are constructed utilizing over 80% recycled ABS Plastic.
- REM TRITON replacement Filter Media Packs are charged with REM FOG media an expanded volcanic ash medium treated to be highly hydrophobic housed in a durable geo-textile perforated polypropylene woven fabric. REM FOG media effectively encapsulates liquefied petroleum hydrocarbons (Fats, Oils & Grease including animal fats). The media's hydrophobic characteristic allows for greater polishing of flow resulting in the reduction of Total Suspended Solids (TSS). Suspended solid reduction includes but is not limited to debris, trash, silt sediment and agglomerated heavy metals. (Additional media options are available including mixed blends of granulated carbon [AC] and Zeolite [ZEO].)
- REM TRITON filter cartridges are removable for ease of cleaning and maintenance.
- Filter designs include a high flow overflow bypass to eliminate pooling or flooding during heavy rain events.
- See our Specifier Sheet for sizes, models and flow rate information.
- Maintenance information and replacement REM Media Packs are available upon request by contacting REM at sales@remfilters.com or (888) 526-4736.
- Made in the USA.



Taller cartridge options provide greater volume capacity and increased treatment rates.

THE DESIGN AND DETAIL OF THIS DRAWING IS THE PROPERTY OF REM INC. AND IS NOT TO BE USED EXCEPT IN CONNECTION WITH OUR WORK, DESIGN AND INVENTION RIGHTS ARE RESERVED.

U.S. Patent Pending

PH: (888) 526-4736

DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED.



REM Inc.

TRITON Series #2 CARTRIDGE SUMP PUMP FILTERS (A pre-filter for sump pumps)


DRAWN BY: C.F.	FOR: Sump Pump Applications	REV
SCALE 1/4" = 1"	DATE: 3/3/2013	SHEET 1 OF 1

REM's TRITON – SPB (Sump Pump Basins) Series 3


REM designed the TRITON - SPB (Sump Pump Basin) Series to provide a highly adaptable solution that allows the flexibility to use sump pumps in all types of catch basin available today. TRITON - SPB Basins are utilized in structures that require a sump pump for removing captured fluids. They can also be fitted to help protect sump pumps from trash/debris that may cause the sump pump to fail. They also can capture hydrocarbons and other pollutants before fluid is pumped out of the structure. Media strategy may be optimized for specific pollutant concerns.




Round Catch Basin Shown



Watertight Holding Basin



Watertight Holding Basin shown with pump



Side View

Notes:

- The TRITON – SPB Series Filters can be designed for many different sized sump pumps on the market today.
- Base plates, when used, are constructed using 100% recycled High Molecular Weight Polyethylene Plastic (HMWPE) with added U.V. inhibitors.
- Watertight Holding Basins are constructed using 100% recycled High Molecular Weight Polyethylene Plastic (HMWPE) with added U.V. inhibitors.
- Maintenance information are available upon request by contacting REM at sales@remfilters.com or (888) 526-4736.
- Made in the USA.

**MADE IN
USA**

THE DESIGN AND DETAIL OF THIS DRAWING IS THE PROPERTY OF REM INC. AND IS NOT TO BE USED EXCEPT IN CONNECTION WITH OUR WORK, DESIGN AND INVENTION RIGHTS ARE RESERVED.

U.S. Patent Pending

PH: (888) 526-4736

DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED.

REM Inc.

**TRITON Series #3
SUMP PUMP BASIN**

(For sump pumps)

DRAWN BY:

C.F.

FOR:

Sump Pump Applications

REV

SCALE

1/4 : 1

DATE: 3/3/2013

SH

EET 1 OF 1