1. All dimensions are in feet, unless otherwise noted.

REM TRITON - TRC Series Curb Inlet Filters can be sized to fit most industry standard curb inlet catch basins. REM also designs custom filters for unique stormwater infrastructure and applications.
 REM TRITON filter assemblies are constructed using Non-reactive High Density Polyethylene plastic with UV

 REM TRITON filter assemblies are constructed using Non-reactive High Density Polyethylene plastic with UV inhibitors utilizing more than 40% recycled content.
 TRITON filter assemblies are secured to the inside wall of the catch basin utilizing two ¼" thick cradle brackets.
 TRITON filter cartridges are constructed utilizing Type 304 Stainless Steel with welded 2" square openings.
 REM TRITON replacement Filter Media Packs are charged with REM FOG media an expanded volcanic ash medium treated to be highly hydrophobic housed in a durable geo-textile perforated polypropylene woven fabric. REM FOG media effectively encapsulates liquefied petroleum hydrocarbons (Fats, Oils & Grease including animal fats. The media's hydrophobic characteristic allows for greater polishing of flow resulting in the reduction of Total Suspended Solids (TSS). Suspended solid reduction includes but is not limited to debris, trash, silt sediment and agglomerated heavy metals. (Additional media options are available including mixed blends of granulated carbon IAC1 and Zeolite (ZEO1) [AC] and Zeolite [ZEO]).

7. REM TRITON filter cartridges are removable for ease of cleaning and maintenance.

8. REM Triton filter designs include an overflow bypass eliminating backups and pooling during high flow rain events.


9. REM StormWeb is an available option to improve capturing capacity for larger debris and trash.


10. See REM Specifier Sheets for size, model and flow rate information.

11. REM TRITON filters shall be installed and maintained in accordance with manufacturer recommendations.

12. Maintenance information and replacement REM Media Packs are available upon request by contacting REM at sales@remfilters.com or (888) 526-4736.


13. Patent Pending.14. Made in the USA.







ITEM NO.	DESCRIPTION	QTY.	
1	FILTER MEDIA PACK	1	
2	DEBRIS BASIN	1	
3	SST MEDIA CAGE	1	
4	BRACKET CRADLE	2	


			UNLESS OTHERWISE SPECIFIED:		NAME	DATE	iconmental Manage	Revel Environmenta	ıl Manufac	turing Inc.
			TOLERANCES: FRACTIONAL± ANGULAR: MACH± BEND± ONE PLACE DECIMAL ± 0.5 TWO PLACE DECIMAL ± 0.1  INTERPRET ALL GEOMETRIC TOLERANCING PER: ±0.05	DRAWN	A.C.	1/26/14	# 20 V	sales@remfilters.com (888) 526-4736 Lic. No. 857410		
				CHECKED			REM	Concord, California 94518 Sa P: (925) 676-4736	Southern 2110 South	California Grand Avenue
				ENG APPR.					P: (714)	anta Ana, California 92705 P: (714) 557-2676 F: (714) 557-2679
				MFG APPR.			www.remfilters.com	F: (925) 676-8676	F: (714)	
RY AND CONFIDENTIAL				Q.A.				CURB INLET FILTER		FR
				COMMENTS:			OOKD II (EEI HEIEK			
ION CONTAINED IN THIS HE SOLE PROPERTY OF			MATERIAL				SIZE DW	vg. NO.		REV
PANY NAME HERE>. ANY										<b>A</b>
N IN PART OR AS A WHOLE VRITTEN PERMISSION OF	NEXT ASSY	USED ON	FINISH				D	01-000	<i>'</i>	A
PANY NAME HERE> IS	APPLICATION			-			SCALE: 1:10 WEIGHT:		SHEE	T 1 OF 3
Δ	2						1			



STANDARD D	IMENSIONS
MODEL#	А
TRC2	2.00
TRC2.5	2.50
TRC3	3.00
TRC3.5	3.50
TRC4	4.00
TRC5	5.00
TRC6	6.00
TRC7	7.00
TRC8	8.00
TRC9	9.00
TRC10	10.00
TRC12	12.00
TRC14	14.00
TRC21	21.00
TRC28	28.00







SECTION B-B SCALE 1:2

	NAME	DATE	aronmental Manage	Revel Environment		
DRAWN	A.C.	1/26/14	A SO OF	sales@remfilters.com (888)	) 526-4736 L	ic. No. 857410
CHECKED			3 37 4	Northern California 960-B Detroit Avenue	Southern C 2110 South C	Grand Avenue
ENG APPR.			REM	Concord, California 94518 P: (925) 676-4736	Santa Ana, Cal P: (714)	557-2676
MFG APPR.			www.remfilters.com	F: (925) 676-8676	F: (714)	557-2679
Q.A.				<b>CURB INLE</b>	TFILT	FR
COMMENTS:				O O II VEE		
			SIZE D\	NG. NO.		REV
		D	01-000	)]	Α	
			20115	1:10 WEIGHT:	01.155	T 2 OF 3

