



1. All dimensions are in inches, unless otherwise noted.
2. REM TRITON TDAM Filters (TT2) can be sized to fit most industry standard 4" trench drains and pre-sloped trench drains. REM also designs custom filters for unique storm water infrastructures and applications.
3. REM TRITON TDAM filter assemblies are constructed using Non-reactive High Density Polyethylene plastic with U.V. inhibitors. Over 40% recycled content.
4. TDAM cartridge housings are constructed utilizing Type 304 Stainless Steel, with 5/32" Dia. 3/16" stg. Ctrs., having 63% square openings.
5. Multiple TDAM Filter Inserts can be staged in line with one another in order to provide additional levels of filtration.
6. REM TRITON replacement Filter Media Packs are charged with REM FOG media an expanded volcanic ash medium treated to be highly hydrophobic housed in a durable geo-textile perforated polypropylene woven fabric. REM FOG media effectively encapsulates liquefied petroleum hydrocarbons (Fats, Oils & Grease including animal fats). The media's hydrophobic characteristic allows for greater polishing of flow resulting in the reduction of Total Suspended Solids (TSS). Suspended solid reduction includes but is not limited to debris, trash, silt sediment and agglomerated heavy metals. (Additional media options are available including mixed blends of granulated carbon [AC] and Zeolite [ZEO]). For trash/debris capturing only, Bioflex Media (BFTG) should be chosen.
7. TDAM's filter design requires water flows to filter through media, preventing low flow bypass.
8. See REM Specifier Sheets for size, model and flow rate information.
9. REM TRITON filters are to be installed and maintained in accordance with manufacturer recommendations.
10. Maintenance information and replacement REM Media Packs are available upon request by contacting REM at sales@remfilters.com or (888) 526-4736.
11. Patent Pending.
12. Made in the USA.

ITEM NO.	DESCRIPTION	QTY.
1	COVER SCREWS	2
2	TT2 ENCLOSURE	1
3	FILTER MEDIA PACK	1
4	NEOPRENE STRIP	2
5	COVER	1




PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF REM. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF REM IS PROHIBITED.

UNLESS OTHERWISE SPECIFIED:		DRAWN	NAME	DATE
DIMENSIONS ARE IN INCHES		CHECKED	A.C.	2/14/14
TOLERANCES:		ENG APPR.		
FRACTIONAL ±		MFG APPR.		
ANGULAR: MATCH ±		G.A.		
BEND ±		COMMENTS:		
ONE PLACE DECIMAL ± 0.2				
TWO PLACE DECIMAL ± 0.1				
MATERIAL:				
INTERPRET ALL GEOMETRIC TOLERANCING PER: ASME Y14.5				
NEXT ASSY	USED ON	FINISH		
APPLICATION				




REVEL ENVIRONMENTAL MANUFACTURING INC.
 2025 11th Ave. • Suite 200 • San Jose, CA 95131
 408-255-4736 • www.remfilters.com


REVEL
 Environmental Manufacturing Inc.
 2025 11th Ave. • Suite 200 • San Jose, CA 95131
 408-255-4736 • www.remfilters.com



TT2 FILTER
 DWG. NO. **01-003**
 SCALE: 2:1 WEIGHT: SHEET 1 OF 3




FOR USE IN 4" DIAMETER (2" RADIUS) TRENCH DRAINS AND PRE-SLOPED TRENCH DRAINS.



DRAWN		NAME	DATE	 Revel Environmental Manufacturing Inc. <small>1000 S. Orange Ave. Suite 100, Orange, CA 92667</small>	
CHECKED		A.C.	2/14/14	<small>1000 S. Orange Ave. Suite 100, Orange, CA 92667</small> <small>1000 S. Orange Ave. Suite 100, Orange, CA 92667</small>	
ENG APPR.				<small>1000 S. Orange Ave. Suite 100, Orange, CA 92667</small> <small>1000 S. Orange Ave. Suite 100, Orange, CA 92667</small>	
MFG APPR.				<small>1000 S. Orange Ave. Suite 100, Orange, CA 92667</small> <small>1000 S. Orange Ave. Suite 100, Orange, CA 92667</small>	
G.A.				<small>1000 S. Orange Ave. Suite 100, Orange, CA 92667</small> <small>1000 S. Orange Ave. Suite 100, Orange, CA 92667</small>	
COMMENTS:				TITLE: TT2 FILTER	
SIZE		DWG. NO.		REV	
D		01-003		A	
SCALE: 2:1		WEIGHT:		SHEET 2 OF 3	




STAGED FILTERING



TT2 SHOWN IN STAGED FILTERING, WITH TWO UNITS WORKING IN UNISON TO OPTIMIZE FILTRATION.

FIRST UNIT IS A BFTG BIOFLEX FILTER AND FUNCTIONS AS A PRESCREEN, CAPTURING AND HOLDING HEAVIER SOLIDS, SUCH AS SAND, ROCKS, SEDIMENT, ETC.

SECOND UNIT UTILIZES OUR "FOG" HYDROCARBON REMOVAL MEDIA PACK, DESIGNED TO REMOVE FATS, OILS, AND GREASE FROM THE FLOW.

DRAWN		NAME	DATE	 Revel Environmental Manufacturing Inc. <small>445-770-0000 ext. 200 1845 Star 75th La Brea, CA 92115</small> <small>1900 S. Dwyer Avenue 2110 Ocean Grand Avenue Suite 100, La Brea, CA 92115</small> <small>P: (951) 225-9735 F: (951) 225-9735 T: (951) 225-9735</small>
CHECKED		A.C.	2/6/14	
ENG APPR.				
MFG APPR.				
G.A.				
COMMENTS:				TITLE: TT2 FILTER
SIZE	DWG. NO.	REV		
D	01-003	A		
SCALE: 1:2	WEIGHT:	SHEET 3 OF 3		